

M a r i n e r a n g e



BAUDOQUIN

Sail different



Rating definition propulsion applications



Continuous heavy duty with very little or no variations in engine speed and power

- Displacement hull
- Unlimited engine operating hours

Typical applications:

deep sea trawlers, deep sea and river tug boats, push boats, freighters, dredges, ICTL ferries.



Continuous duty with some variations in engine speed and power

- Displacement or semi-displacement hull
- Unlimited engine operating hours

Typical applications:

passengers vessels, harbour tug boats, motorbarges, coasters, tuna boats, seiners, netters, potting boats, longliners, buoys, oceanographic research vessels, long range cruiser, expedition yachts.



Intermittent duty with variations in engine speed and power

- Semi-planing or planing hull
- Cruising speed 8 to 90% of nominal engine speed

Typical applications:

seasonal passengers vessels, fishing launches, pilot boats, commercial pleasure crafts, fire boats, bow thrusters, towler yachts, motorsailers.



Intermittent duty with large variations in engine speed and power

- Planing hull
- Cruising speed 8 to 90% of nominal engine speed

Typical applications:

private pleasure crafts, sport fishing launches, police patrol crafts, customs launches, coast guards vessels, sea rescue boats, powercats.

BAUDOQUIN MARINE

is also:



A range of reverse reduction gearboxes adapted to each engine and having a very large choice of reduction ratio.



A range of line shafts for fixed propellers, oil lubricated, available in 10 diameters between 60 and 170 mm.



A range of line shafts for fixed propellers, water lubricated, available in 11 diameters between 45 and 145 mm.



Three line shafts for controllable pitch propellers, oil lubricated, dia 140, 155 and 170 mm.



A range of fixed pitch propellers, 3 or 4 blades, diameters from 500 to 2300 mm.



A range of 4 blades controllable pitch propellers, hub dia 500, 570 and 640 mm, propeller dia from 1800 to 2300 mm.



A range of fixed nozzles dia from 500 to 2300 mm.



A range of equipments and accessories adapted to each engine and gearbox.



BAUDOQUIN

Sea different

Moteurs Baudouin S.A.

105, bd de Pont-de-Vieux / 13020 Marseille / France

tél. 33 604 91 83 85 00 / fax. 33 604 91 79 09 38

www.moteurs-baudouin.fr