


Turner Diesel Limited Official LMD Distributor in fifty eight countries.



TURNER DIESEL



DIFFERENT CLIMATIC CONDITIONS

Arctic
 Warm
 Rainy
 Windy

Temperate
 Warm
 Cool
 Very Cool
 Very Warm
 Very Cold
 Very Hot
 Very Dry



LOCATIONS

Subtropical
 Warm
 Very Warm
 Very Hot
 Very Cold
 Very Dry

Tropical
 Warm
 Very Warm
 Very Hot
 Very Cold
 Very Dry
 Very Hot
 Very Dry
 Very Hot
 Very Dry



TURNER



QUALITÀ

Per un tempo che si misura in decenni, l'azienda americana è leader nel mercato europeo. La sua identità, la sua filosofia, il suo modo di fare, il suo modo di lavorare, sono stati riconosciuti e premiati. È un modo di fare che si è diffuso in tutto il mondo, in ogni settore, in ogni attività, in ogni cultura. È un modo di fare che ha permesso alla azienda di crescere e prosperare in ogni parte del mondo, in ogni settore, in ogni attività, in ogni cultura. È un modo di fare che ha permesso alla azienda di crescere e prosperare in ogni parte del mondo, in ogni settore, in ogni attività, in ogni cultura.

Il modo di fare che ha permesso alla azienda di crescere e prosperare in ogni parte del mondo, in ogni settore, in ogni attività, in ogni cultura. È un modo di fare che ha permesso alla azienda di crescere e prosperare in ogni parte del mondo, in ogni settore, in ogni attività, in ogni cultura.

Il modo di fare che ha permesso alla azienda di crescere e prosperare in ogni parte del mondo, in ogni settore, in ogni attività, in ogni cultura. È un modo di fare che ha permesso alla azienda di crescere e prosperare in ogni parte del mondo, in ogni settore, in ogni attività, in ogni cultura.





DIFFERENT REQUIREMENTS

POWER ENGINE

EMC is available only with Power Plus and Advanced engine options. Power Plus normally provides the best performance. Cooling of intake and coolant fans from an Auxiliary Air Power Unit (APU) is recommended, available as an optional engine accessory.



Power Plus engines available in 1000, 1200 and 1500 kW (1360, 1630 and 2011 hp) and 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp).

Power Plus engines are available in air-cooled and water-cooled versions. Water-cooled engines are available in 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp).



FUEL INJECTION

In order to fuel engine systems, fuel distribution is provided by a series of fuel injection pumps. Fuel injection pumps are available in common rail or individual injection pumps. Fuel injection pumps are available in common rail or individual injection pumps. Fuel injection pumps are available in common rail or individual injection pumps.



Fuel injection pumps are available in common rail or individual injection pumps.

COOLING

Power Plus engines are available in air-cooled and water-cooled versions. Water-cooled engines are available in 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp).



TORQUE CONVERTERS

Torque converters are available in 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp) and 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp). Torque converters are available in 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp).



Torque converters are available in 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp) and 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp). Torque converters are available in 1500, 1800 and 2200 kW (2011, 2448 and 2983 hp).



DIESEL



