

Local based generators for every prime power or standby installation.

Multiple Unit-based general industrial generator sets are designed to provide continuous, safe power for remote sites for long periods and years.

Flexible range, interconnectable sets, allow all size customer power requirements. Wherever reliable, economical power is needed, small and medium sized sets.

Have a special requirement? Let our engineers design a custom power solution for you. Models with multiple modules, units or single power units all available to your specifications covering a three phase standard Northern Lights set or foundation.

Liquid Cooled, Diesel Powered Industrial Generator Sets

Model Number	Rated kW (kW/HP)	Rated kVA (kVA/HP)	Rated RPM	System Type	Options
35-002	4	5	1800	4 Stroke	None
35-003	4	5	1800	4 Stroke	None
35-004	4	5	1800	4 Stroke	None
35-005	4	5	1800	4 Stroke	None
35-006	4	5	1800	4 Stroke	None
35-007	4	5	1800	4 Stroke	None
35-008	4	5	1800	4 Stroke	None
35-009	4	5	1800	4 Stroke	None
35-010	4	5	1800	4 Stroke	None
35-011	4	5	1800	4 Stroke	None
35-012	4	5	1800	4 Stroke	None
35-013	4	5	1800	4 Stroke	None
35-014	4	5	1800	4 Stroke	None
35-015	4	5	1800	4 Stroke	None
35-016	4	5	1800	4 Stroke	None
35-017	4	5	1800	4 Stroke	None
35-018	4	5	1800	4 Stroke	None
35-019	4	5	1800	4 Stroke	None
35-020	4	5	1800	4 Stroke	None
35-021	4	5	1800	4 Stroke	None
35-022	4	5	1800	4 Stroke	None
35-023	4	5	1800	4 Stroke	None
35-024	4	5	1800	4 Stroke	None
35-025	4	5	1800	4 Stroke	None
35-026	4	5	1800	4 Stroke	None
35-027	4	5	1800	4 Stroke	None
35-028	4	5	1800	4 Stroke	None
35-029	4	5	1800	4 Stroke	None
35-030	4	5	1800	4 Stroke	None
35-031	4	5	1800	4 Stroke	None
35-032	4	5	1800	4 Stroke	None
35-033	4	5	1800	4 Stroke	None
35-034	4	5	1800	4 Stroke	None
35-035	4	5	1800	4 Stroke	None
35-036	4	5	1800	4 Stroke	None
35-037	4	5	1800	4 Stroke	None
35-038	4	5	1800	4 Stroke	None
35-039	4	5	1800	4 Stroke	None
35-040	4	5	1800	4 Stroke	None
35-041	4	5	1800	4 Stroke	None
35-042	4	5	1800	4 Stroke	None
35-043	4	5	1800	4 Stroke	None
35-044	4	5	1800	4 Stroke	None
35-045	4	5	1800	4 Stroke	None
35-046	4	5	1800	4 Stroke	None
35-047	4	5	1800	4 Stroke	None
35-048	4	5	1800	4 Stroke	None
35-049	4	5	1800	4 Stroke	None
35-050	4	5	1800	4 Stroke	None
35-051	4	5	1800	4 Stroke	None
35-052	4	5	1800	4 Stroke	None
35-053	4	5	1800	4 Stroke	None
35-054	4	5	1800	4 Stroke	None
35-055	4	5	1800	4 Stroke	None
35-056	4	5	1800	4 Stroke	None
35-057	4	5	1800	4 Stroke	None
35-058	4	5	1800	4 Stroke	None
35-059	4	5	1800	4 Stroke	None
35-060	4	5	1800	4 Stroke	None
35-061	4	5	1800	4 Stroke	None
35-062	4	5	1800	4 Stroke	None
35-063	4	5	1800	4 Stroke	None
35-064	4	5	1800	4 Stroke	None
35-065	4	5	1800	4 Stroke	None
35-066	4	5	1800	4 Stroke	None
35-067	4	5	1800	4 Stroke	None
35-068	4	5	1800	4 Stroke	None
35-069	4	5	1800	4 Stroke	None
35-070	4	5	1800	4 Stroke	None
35-071	4	5	1800	4 Stroke	None
35-072	4	5	1800	4 Stroke	None
35-073	4	5	1800	4 Stroke	None
35-074	4	5	1800	4 Stroke	None
35-075	4	5	1800	4 Stroke	None
35-076	4	5	1800	4 Stroke	None
35-077	4	5	1800	4 Stroke	None
35-078	4	5	1800	4 Stroke	None
35-079	4	5	1800	4 Stroke	None
35-080	4	5	1800	4 Stroke	None
35-081	4	5	1800	4 Stroke	None
35-082	4	5	1800	4 Stroke	None
35-083	4	5	1800	4 Stroke	None
35-084	4	5	1800	4 Stroke	None
35-085	4	5	1800	4 Stroke	None
35-086	4	5	1800	4 Stroke	None
35-087	4	5	1800	4 Stroke	None
35-088	4	5	1800	4 Stroke	None
35-089	4	5	1800	4 Stroke	None
35-090	4	5	1800	4 Stroke	None
35-091	4	5	1800	4 Stroke	None
35-092	4	5	1800	4 Stroke	None
35-093	4	5	1800	4 Stroke	None
35-094	4	5	1800	4 Stroke	None
35-095	4	5	1800	4 Stroke	None
35-096	4	5	1800	4 Stroke	None
35-097	4	5	1800	4 Stroke	None
35-098	4	5	1800	4 Stroke	None
35-099	4	5	1800	4 Stroke	None
35-100	4	5	1800	4 Stroke	None
35-101	4	5	1800	4 Stroke	None
35-102	4	5	1800	4 Stroke	None
35-103	4	5	1800	4 Stroke	None
35-104	4	5	1800	4 Stroke	None
35-105	4	5	1800	4 Stroke	None
35-106	4	5	1800	4 Stroke	None
35-107	4	5	1800	4 Stroke	None
35-108	4	5	1800	4 Stroke	None
35-109	4	5	1800	4 Stroke	None
35-110	4	5	1800	4 Stroke	None
35-111	4	5	1800	4 Stroke	None
35-112	4	5	1800	4 Stroke	None
35-113	4	5	1800	4 Stroke	None
35-114	4	5	1800	4 Stroke	None
35-115	4	5	1800	4 Stroke	None
35-116	4	5	1800	4 Stroke	None
35-117	4	5	1800	4 Stroke	None
35-118	4	5	1800	4 Stroke	None
35-119	4	5	1800	4 Stroke	None
35-120	4	5	1800	4 Stroke	None
35-121	4	5	1800	4 Stroke	None
35-122	4	5	1800	4 Stroke	None
35-123	4	5	1800	4 Stroke	None
35-124	4	5	1800	4 Stroke	None
35-125	4	5	1800	4 Stroke	None
35-126	4	5	1800	4 Stroke	None
35-127	4	5	1800	4 Stroke	None
35-128	4	5	1800	4 Stroke	None
35-129	4	5	1800	4 Stroke	None
35-130	4	5	1800	4 Stroke	None
35-131	4	5	1800	4 Stroke	None
35-132	4	5	1800	4 Stroke	None
35-133	4	5	1800	4 Stroke	None
35-134	4	5	1800	4 Stroke	None
35-135	4	5	1800	4 Stroke	None
35-136	4	5	1800	4 Stroke	None
35-137	4	5	1800	4 Stroke	None
35-138	4	5	1800	4 Stroke	None
35-139	4	5	1800	4 Stroke	None
35-140	4	5	1800	4 Stroke	None
35-141	4	5	1800	4 Stroke	None
35-142	4	5	1800	4 Stroke	None
35-143	4	5	1800	4 Stroke	None
35-144	4	5	1800	4 Stroke	None
35-145	4	5	1800	4 Stroke	None
35-146	4	5	1800	4 Stroke	None
35-147	4	5	1800	4 Stroke	None
35-148	4	5	1800	4 Stroke	None
35-149	4	5	1800	4 Stroke	None
35-150	4	5	1800	4 Stroke	None
35-151	4	5	1800	4 Stroke	None
35-152	4	5	1800	4 Stroke	None
35-153	4	5	1800	4 Stroke	None
35-154	4	5	1800	4 Stroke	None
35-155	4	5	1800	4 Stroke	None
35-156	4	5	1800	4 Stroke	None
35-157	4	5	1800	4 Stroke	None
35-158	4	5	1800	4 Stroke	None
35-159	4	5	1800	4 Stroke	None
35-160	4	5	1800	4 Stroke	None
35-161	4	5	1800	4 Stroke	None
35-162	4	5	1800	4 Stroke	None
35-163	4	5	1800	4 Stroke	None
35-164	4	5	1800	4 Stroke	None
35-165	4	5	1800	4 Stroke	None
35-166	4	5	1800	4 Stroke	None
35-167	4	5	1800	4 Stroke	None
35-168	4	5	1800	4 Stroke	None
35-169	4	5	1800	4 Stroke	None
35-170	4	5	1800	4 Stroke	None
35-171	4	5	1800	4 Stroke	None
35-172	4	5	1800	4 Stroke	None
35-173	4	5	1800	4 Stroke	None
35-174	4	5	1800	4 Stroke	None
35-175	4	5	1800	4 Stroke	None
35-176	4	5	1800	4 Stroke	None
35-177	4	5	1800	4 Stroke	None
35-178	4	5	1800	4 Stroke	None
35-179	4	5	1800	4 Stroke	None
35-180	4	5	1800	4 Stroke	None
35-181	4	5	1800	4 Stroke	None
35-182	4	5	1800	4 Stroke	None
35-183	4	5	1800	4 Stroke	None
35-184	4	5	1800	4 Stroke	None
35-185	4	5	1800	4 Stroke	None
35-186	4	5	1800	4 Stroke	None
35-187	4	5	1800	4 Stroke	None
35-188	4	5	1800	4 Stroke	None
35-189	4	5	1800	4 Stroke	None
35-190	4	5	1800	4 Stroke	None
35-191	4	5	1800	4 Stroke	None
35-192	4	5	1800	4 Stroke	None
35-193	4	5	1800	4 Stroke	None
35-194	4	5	1800	4 Stroke	None
35-195	4	5	1800	4 Stroke	None
35-196	4	5	1800	4 Stroke	None
35-197	4	5	1800	4 Stroke	None
35-198	4	5	1800	4 Stroke	None
35-199	4	5	1800	4 Stroke	None
35-200	4	5	1800	4 Stroke	None
35-201	4	5	1800	4 Stroke	None
35-202	4	5	1800	4 Stroke	None
35-203	4	5	1800	4 Stroke	None
35-204	4	5	1800	4 Stroke	None
35-205	4	5	1800	4 Stroke	None
35-206	4	5	1800	4 Stroke	None
35-207	4	5	1800	4 Stroke	None
35-208	4	5	1800	4 Stroke	None
35-209	4	5	1800	4 Stroke	None
35-210	4	5	1800	4 Stroke	None
35-211	4	5	1800	4 Stroke	None
35-212	4	5	1800	4 Stroke	None
35-213	4	5	1800	4 Stroke	None
35-214	4	5	1800	4 Stroke	None
35-215	4	5	1800	4 Stroke	None
35-216	4	5	1800	4 Stroke	None
35-217	4	5	1800	4 Stroke	None
35-218	4	5	1800	4 Stroke	None
35-219	4	5	1800	4 Stroke	None
35-220	4	5	1800	4 Stroke	None
35-221	4	5	1800	4 Stroke	None
35-222	4	5	1800	4 Stroke	None
35-223	4	5	1800	4 Stroke	None
35-224	4	5	1800	4 Stroke	None
35-225	4	5	1800	4 Stroke	None
35-226	4	5	1800	4 Stroke	None
35-227	4	5	1800	4 Stroke	None
35-228	4	5	1800	4 Stroke	None
35-229	4	5	1800	4 Stroke	None
35-230	4	5	1800	4 Stroke	None
35-231	4	5	1800	4 Stroke	None
35-232	4	5	1800	4 Stroke	None
35-233	4	5	1800	4 Stroke	None
35-234	4	5	1800	4 Stroke	None
35-235	4	5	1800	4 Stroke	None
35-236	4	5	1800	4 Stroke	None
35-237	4	5	1800	4 Stroke	None
35-238	4	5	1800	4 Stroke	None
35-239	4	5	1800	4 Stroke	

WUGGER

NORTHERN LIGHTS

INDUS. GENERATORS
POWER SYSTEMS



Diesel Power Selection Guide

Box 76543 Seattle, WA 98107

Great Products • Complete Support



New Northern Lights industrial sets.

This recently introduced line of industrial generator sets uses heavy duty Yanmar tractor diesel engines.

The five models, 6, 8, 10, 18 and 20 kW, are ruggedly built for tough prime power applications. Featuring the latest in "clean burn" technology the sets have low-emission standards, low fuel consumption rates and are smooth and quiet. An automatic voltage regulator and brushless generator end give you clean, 415 regulated electricity.

See Your Dealer



Call your regional factory branch for the name of the Wugger or Northern Lights dealer in your area.

National Toll Free... 1-800-782-0000

Western... (800) 782-0800

Alaska... (907) 548-2222

Southwest... (504) 948-3081

Northeast... (617) 272-4222

Wugger and Northern Lights are manufactured by two top regulated subsidiaries of Alaska Diesel Electric, Inc.

Wugger, generators and products are subject to change without notice.

© 1998 Wugger, Seattle, Alaska, USA. 1-800-782-0000

**ALASKA
DIESEL
ELECTRIC**



Dealers