

[illegible]

The *Journal* is a peer-reviewed journal of research and practice in the field of child and adolescent mental health. It is published by the American Academy of Child and Adolescent Psychiatry (AACAP). The journal is a leading source of information for researchers, clinicians, and policymakers in the field of child and adolescent mental health. It covers a wide range of topics, including clinical research, epidemiology, and policy. The journal is published quarterly and is available in both print and online formats. The online version of the journal is available at <http://ajcp.sagepub.com>.

[illegible][illegible][illegible]

As a result, the same species of bird may be found in the same area at different times of the year. For example, a large warbler is abundant in the forest but becomes a common sight along roads in deciduous forest during autumn, when it is on its migration. A more obvious difference in bird numbers is between the forest and the open areas. In the forest, birds are more numerous, and the species are more diverse. In the open areas, there are fewer birds, and the species are less diverse. This is because the forest provides a more complex and diverse habitat than the open areas. The forest has a higher canopy, which provides more food and shelter for birds. The open areas have a lower canopy, which provides less food and shelter. This is why the forest is a more important habitat for birds than the open areas.

[illegible]

THE UNIVERSITY OF CHICAGO PRESS

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

[illegible]

**Abstract**

[illegible]

**Abstract**

[illegible]

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

George J. Miller, general secretary, said that the program was then extended to the entire land of the country. The national committee for the celebration has already set the program for the coming year.

is approximately 200 ft long. Fracture and cleavage surfaces; borings are available at the center and ends are shown, giving a complete view of the rock mass. The fracture is oriented in a vertical plane, dipping 60° to the east. The fracture is approximately 10 ft long and 1 ft wide, and is filled with debris.

1000 1000 1000

waterlogged, overcast and often rainy. About 2.5 m/s of the tide was reported at about the same time, 11:30 a.m. to 12:00 p.m. on August 1. Very similar, higher frequency, are shown in some other regions. Atmospheric conditions elsewhere are listed within the text of the individual chapters.

**Figure 1**



**RESEARCHERS** have long known that most mammals of some size breed in pairs. In fact, the pattern is so common that it has been regarded as a "law" of nature. But now, according to a new study, the "law" may not be as universal as once thought. The study, published in *Behavioral Ecology*, shows that the species (including water voles) do not breed alone and in the strictest of pairs. Although it is reported by a single study, it may well prove

**Abstract**

Although the program is not a "one-size-fits-all" approach, different standards for schools and teacher training are being set by a single entity other than the state and the federal government, from the outside plan team. Schools, having agreed and through experience, provide a "template" used by a consortium of schools, where required, to develop a plan for the school.

[illegible]

**RESEARCH** **Findings:** The study found that the majority of respondents (80%) were male, and the majority (75%) were aged 18-24. The study also found that the majority of respondents (85%) were from the United States, and the majority (70%) were from the Northeast region. The study also found that the majority of respondents (90%) were students, and the majority (80%) were from the University of California.

**Abstract**

But Canada's *Journal* has attacked the newspaper's claim to be an "objective" source. Its editor noted that there had been no further comment on the article from the company and suggested the story might be false.

**Panel 26** depicts a scene that is almost a caricature. A musician is supposed to be independently recording a song.

**Indexing:** 551 Single element (44) has been removed to the separate single file containing requests to the

**POOL PUMP** is kept back pump is used to pump water. The pump is in the pool and not outside it.

**Keywords:** *readings and methods*  
*are compared and used to*  
*illustrate*

© 2000 Blackwell Science Ltd *Journal of Internal Medicine* 247: 111–117

[illegible]

**FIGURE 1** Engineers are needed for advanced scientific work, space, and defense efforts are not being realized. Engineers build the infrastructure to sustain our nation's well-being. Engineers are the backbone of our nation's infrastructure. Engineers are the backbone of our nation's infrastructure. Engineers are the backbone of our nation's infrastructure.

[illegible]

**Fig. 4.7. *Staphylococcus aureus*** is a spherical bacterium. It is often found in clusters of eight or more cells. *Staphylococcus aureus* is a common cause of skin infections and is also responsible for many hospital-acquired infections. *Staphylococcus aureus* is a Gram-positive bacterium.

**Take the Test Again** A computerized test allowing you to review your progress. Study and retest your progress at any time or place by visiting [www.pearsoned.com](http://www.pearsoned.com).

**DESIGN POINT:** This is a simple design for the new water pump. Piping is planned with the pump for installation. The two long rigid pipes together to ensure that the water will flow when

**Federated Budget:** A construction subcontractor or printing plant based in the United States would like printing the original and two copies (including postage).

**Fast Cut and Lubricating Oil:** Grease flows into chamber. (Should be supplied at cold start if specified in order program) and then re-distributes.

**It's Not Easy** As owners of business assets, owners may be involved in decisions and plans about the company and the people working on it, including related plans to be made. Owners and users will be involved in the company's future plans.

As engine-driven battery chargers, alternators can be regulated with either manual or automatic (springback) controls. Components for timing, 600A can be regulated for charging with a maximum current required. The timing is set by the engine before start can be regulated. This is in the form of a rotating camming in, under, and complete with motor and circuitry.

[illegible]

**BY ROBERT D. HILL, EDITOR** A new type of computer, called a "neural network," is being developed by researchers at the University of California, San Diego. The computer is designed to give the user a degree of flexibility in the way it processes information. It can be programmed to solve a wide range of problems, from simple arithmetic to complex tasks such as recognizing faces and objects. The computer is also designed to be able to learn from its own experience, making it a useful tool for a wide range of applications. The computer is also designed to be able to learn from its own experience, making it a useful tool for a wide range of applications. The computer is also designed to be able to learn from its own experience, making it a useful tool for a wide range of applications.

**STATE AND COUNTY:** Connecticut. Is included in the June 2002 12th anniversary issue of the book. For more information, see the book's website at <http://www.ct.gov>.

100

**THESE STUDY AND LITERATURE**  
**REVIEWS** WOULD HAVE BEEN OF  
GREAT USE TO RESEARCHERS  
INTERESTED IN THE RECENT  
RECENT RESEARCH ON THE  
RECENT RESEARCH ON THE

**Summary:** Authors report that savings on costs to meet management strategy goals, operational costs and shareholder value requirements is

1. **Introduction**  
 2. **Methodology**  
 3. **Results**  
 4. **Conclusion**  
 5. **References**

**Abstract.** A review comparing the development of language and thought. The evidence points to very high degrees of consistency between the two.

**Abstract**

of the Department of the Interior, Bureau of Land Management, and the Bureau of Reclamation. The Department of the Interior, Bureau of Land Management, and the Bureau of Reclamation are the lead agencies for the project. The project is being funded by the Department of the Interior, Bureau of Land Management, and the Bureau of Reclamation. The project is being funded by the Department of the Interior, Bureau of Land Management, and the Bureau of Reclamation.

**On Students' Learning—What Is It?** The taking of exams. Common belief that it is essential to participate in exams was challenged by giving students a choice among a variety of learning activities: term papers, oral reports, term tests, and projects. The results suggested that students who participated in the program of choice had better learning outcomes than those who did not.

The horticulture-based activities are designed to be participatory, to make participants feel ownership, and are usually done in relation to other activities such as growing their organic produce. The three programmes are for young children, for pregnant women and for women and young people living with HIV.

- Local endogenous factors contribute to future forecasts
- Differences in endogenous factors between countries may be considered in forecasting
- Exports are influenced by import (and related) conditions
- Use of global forecasting techniques is required
- Forecasting involves using those goods for which comparison is required in endogenous conditions
- Forecasting that uses external factors (such as exchange rates) is not a forecast of the endogenous factors



# CATEGORY

# A

## Paxman Valenta

### Marine Propulsion Ratings Diesel Engines

635-3655 kW brake 1120-4900 bhp 1125-4570 cvps

#### PRESSURE CHARGED-INTERCOOLED

#### RAISED-PISTON DESIGN

	RATED SPEED RPM	BHP (kW)		INTERMEDIATE SPEED RPM		REDUCED SPEED RPM	
		1500	1800	900	1200	600	750
VALENTA	4	1125	1400	1125	1400	1125	1400
	6	1125	1400	1125	1400	1125	1400
	8	1125	1400	1125	1400	1125	1400
	10	1125	1400	1125	1400	1125	1400
	12	1125	1400	1125	1400	1125	1400

#### CAPACITIES m<sup>3</sup> gal/hrs

Number of cylinders	4	6	8	10	12	14	16	18
Water	1.5	2.2	3.0	3.8	4.5	5.3	6.1	6.9
Oil	0.5	0.7	1.0	1.3	1.6	1.9	2.2	2.5
Exhaust	0.5	0.7	1.0	1.3	1.6	1.9	2.2	2.5

#### PISTON DESIGN - BORE x STROKE, IN

Power (kW)	1125	1400	1125	1400	1125	1400	1125	1400
Bore	10.5	12.5	10.5	12.5	10.5	12.5	10.5	12.5
Stroke	10.5	12.5	10.5	12.5	10.5	12.5	10.5	12.5
Displacement	11.2	14.0	11.2	14.0	11.2	14.0	11.2	14.0
Weight	1125	1400	1125	1400	1125	1400	1125	1400
Dimensions and Weight	1125	1400	1125	1400	1125	1400	1125	1400

#### CATEGORY

#### 1 HIGH SPEED CRAFT

Fast, powerful  
high speed craft  
Fast, powerful craft  
High speed craft  
and  
Various applications

Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.

#### RAISED-PISTON DESIGN

Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.

The Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.


The Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.

#### RAISED-PISTON DESIGN - BORE x STROKE, IN

Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.

#### NOTES

1. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.
2. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings. Valenta 1125, 1400 and 1800 kW are available in 1125, 1400 and 1800 kW ratings.



**DIMENSIONS: (mm)**

**WEIGHTS: kg**

(Cylind) TYPE	L	LP	LA	LB	H	HD	HT	W	BASE (NOM) WEIGHT (BT) kg	STANDARD (S.A.R.P.C.) RATING	STANDARD WEIGHT kg
6100	5145	3043	463	812	773	1203	2126	1219	4363	1.18, 3.481	887
	3864	2833		584						1.18, 3.481	852
										5.5, 5.83	877
	5288		587	846	873	1688	3273	1488	4617	1.184, 3.271	890
	3448	2132		653						1.184, 3.271	1138
	3878		521	855		*1268	2238			3.85, 3.275	1148
	2834	2497	282	1088	773	1688	3488	1688	6071	1.088, 3.202	1263
	3864			1078						1.088, 3.202	1558
	4682		284	1088						1.088, 1.718	1558
	4572	2050	354	1078	764	*1702	2468	1588	8983	1.088, 2.875	1588
	4873		483	1088		1828	2688			1.088, 1.718	1683
	4728		288	1088						1.088, 1.514	1558
	4838		358	1078						1.714, 2.543	1588
	5138	2248	483	1088	787	*1600	2887	1878	8871	1.088, 1.514	1683
	5678		488	1078		1842	3000			1.714, 2.543	1888
										3.17	

\* Reduced height is available where full output is not required.

Payman Diesel Limited  
Payman Diesel Engines Ltd  
Cotton Road, Weymouth  
Dorset DT4 8JL, England  
Tel: 0930 871 81  
Telex: 9300 883 Payman  
Fax: 0930 871 81

Payman Diesel Ltd.  
Payman Diesel Engines Ltd  
Hawley Road, Weymouth  
Dorset DT4 8JL, England  
Tel: 0930 871 81  
Telex: 9300 883 Payman  
Fax: 0930 871 81



A Management Company of  
CIBC ALSTHOM Diesels Limited



Information in this publication must not be taken as an offer or contract.

### CATEGORY

# B

# Paxman Valenta

## Marine Propulsion Ratings Diesel Engines

755-2955 kW brake 1010-3960 bhp 1025-4015 cv,ps

### PRESSURE CHARGED INTERCOOLED

#### RATING TO ISO 3046

	CYLINDERS DISPLACEMENT (LITRES)	INTERMITTENT		CONTINUOUS	
		POWER (kW) (CV, PS)	ENGINE (RPM)	POWER (kW) (CV, PS)	ENGINE (RPM)
VALENTA	6	255 (345, 1025)	1800	170 (230, 680)	1800
	8	370 (500, 1520)	1800	255 (345, 1025)	1800
	10	475 (640, 1670)	1800	340 (460, 1250)	1800
	12	580 (780, 2070)	1800	425 (575, 1570)	1800
	16	790 (1060, 2870)	1800	580 (785, 2120)	1800
	20	1000 (1340, 3670)	1800	750 (1015, 2750)	1800

#### CAPACITIES, m<sup>3</sup>, gallons

Number of cylinders	6	8	10	12	16	20
Pump	—	0.341, 87	0.364, 96	0.397, 105	0.500, 132	0.641, 170
Water (cool)	—	0.216, 57	0.18, 48	0.26, 69	0.38, 100	0.578, 152
Intercooler	—	0.014, 3	0.021, 4.5	0.027, 6	0.045, 9	0.057, 9

#### PIPING SIZES - BORE, mm, in

Fresh water/ Duffel	76	3	127	5	127	5	127	5	127	5
Inlet	76	3	127	5	127	5	127	5	127	5
Sea water/ Water flow should not exceed 7 l/min, 18 ft <sup>3</sup>										
Air intercooler	76	3.0	76	3.0	101	4	101	4	101	4
Fuel	13	0.5	19	0.75	19	0.75	19	0.75	19	0.75
Oil	64	2.5	64	2.5	64	2.5	76	3.0	76	3.0
Air	25	1.0	25	1.0	30	1.2	38	1.5	38	1.5
Exhaust pipe and silencer	203	12.0	203	14.0	406	16.0	457	18.0	508	20.0

### CATEGORY

## B MEDIUM SPEED CRAFT

Series  
Crusing yachts  
Pressure craft  
Long range patrol craft  
Some short range fishing  
vessels  
and  
similar applications

Caterpillar, D/E, Isuzu and JCB for use in  
low pollution category.

#### RATING DEFINITION

##### MARINE PROPULSION - CATEGORY B<sup>1</sup>

The intermittent rating is available for six hours in  
each twenty-four hours of operation at or below the  
continuous rating. If this time is exceeded it may be  
necessary to reduce the output power.

Total operating hours within intermittent rating should  
not exceed 10 percent of total hours in the period up  
to major overhaul.


The continuous rating is unlimited.

#### ENVIRONMENTAL CONDITIONS FOR PROPULSION ENGINE

All ratings in the foregoing tables are based on an  
ambient air temperature and pressure (temperature  
not exceeding 37°C, Barometric pressure 1 bar).  
Cooling should be to ISO 3046.

#### NOTES

1. Entry for problems increase speeds and  
output in some of the categories after full  
consideration of the operating profile.
2. Power used in accordance with MANB  
procedure.



**DIMENSIONS: (mm)**

**WEIGHTS: kg**

(Cylind) TYPE	L	LP	LA	LB	H	HD	HT	W	BASE (NOM) WEIGHT (BT) kg	STANDARD (S.A.R.P.C.) RATING	STANDARD WEIGHT kg
6100	5145	3043	463	812	773	1203	2126	1219	4363	1.18, 3.481	887
	3864	2833		584						1.18, 3.481	852
										5.5, 5.83	877
	5288		587	846	873	1688	3273	1488	4617	1.184, 3.271	890
	3448	2132		653						1.184, 3.271	1138
	3878		521	855		*1268	2238			3.85, 3.275	1148
	2834	2497	282	1088	773	1888	3488	1888	6071	1.088, 3.202	1268
	3864			1078						1.088, 3.202	1558
	4682		284	1088						1.088, 1.718	1558
	4572	2050	354	1078	764	*1702	2488	1588	8983	1.088, 2.875	1588
	4873		483	1088		1828	3588			1.088, 1.718	1688
	4728		288	1088						1.088, 1.514	1558
	4838		358	1078						1.714, 2.543	1588
	5138	3248	483	1088	787	*1600	2887	1878	8871	1.088, 1.514	1688
	5678		488	1078		1842	3588			1.714, 2.543	1888
										3.17	

\* Reduced height is available where full output is not required.

Payman Diesel Limited  
Payman Diesel Engines Ltd  
Cotton Road, Weymouth  
Dorset DT8 3AH England  
Tel: 0930 871 81  
Telex: 9300 853 Payman  
Fax: 0930 871 81

Payman Diesel Ltd.  
Payman Diesel Engines Ltd  
Hawley Road, Weymouth  
Dorset DT8 3AH England  
Tel: 0930 871 81  
Telex: 9300 853 Payman  
Fax: 0930 871 81



A Management Company of  
CIBC ALSTHOM Diesels Limited



Information in this publication must not be taken as an offer or contract.



CATEGORY

C

## Paxman Valenta

Marine Propulsion Ratings Diesel Engines

656-9468 kW brake 900-3380 bhp 945-3545 cv.pe

### PRESSURE-COOLER-INTERCOOLER

RATING: 750 80 1000

	RATED		
	750 kW	80 kW	1000 kW
VALUABLE	65	70	100
	67	72	102
	69	74	104
	71	76	106
	73	78	108

CATEGORY

LONG RANGE VESSEL

Engines with optimized operating range enable extended endurance operation.  
Long-range fishing vessels, cruise motorboats, yachts, motor applications.

EXPERIENCE, KNOWLEDGE, SUPPORT AND SERVICE ARE THE DAYMAN ADVANTAGES

### CAPACITIES, m<sup>3</sup>, gallons

Engine capacity	65	70	72	74	76	78	80
Water	1000	1000	1000	1000	1000	1000	1000
Oil	1000	1000	1000	1000	1000	1000	1000
Intercooler	1000	1000	1000	1000	1000	1000	1000

### ENGINE INFORMATION

General information, literature or technical data is available.


### EXPERIENCE, KNOWLEDGE AND SUPPORT ARE THE DAYMAN ADVANTAGES

EXPERIENCE, KNOWLEDGE AND SUPPORT ARE THE DAYMAN ADVANTAGES. DAYMAN IS THE LEADER IN THE MARINE ENGINE MARKET. DAYMAN IS THE LEADER IN THE MARINE ENGINE MARKET. DAYMAN IS THE LEADER IN THE MARINE ENGINE MARKET.

### POWER RATING: 750 80 1000 kW

Engine type	65	70	72	74	76	78	80
Power	65	70	72	74	76	78	80
Capacity	65	70	72	74	76	78	80
Oil	65	70	72	74	76	78	80
Intercooler	65	70	72	74	76	78	80
Water	65	70	72	74	76	78	80
Oil	65	70	72	74	76	78	80
Intercooler	65	70	72	74	76	78	80
Water	65	70	72	74	76	78	80

NOTE:  
1. The maximum power is achieved at 1500 rpm.  
2. The maximum power is achieved at 1500 rpm.  
3. The maximum power is achieved at 1500 rpm.



**DIMENSIONS: (mm)**

**WEIGHTS: kg**

ENGINE TYPE	L	LP	LR	LG	HG	HD	HT	W	BASE ENGINE WEIGHT (kg)	STANDARD EQUIPMENT WEIGHT (kg)	GEARBOX WEIGHT (kg)	
VALVE DATA	6L	3718 3840	9570	480	612 507	775	1200	2108	1278	8080	1180/1340 <sup>*</sup> 915/540	880 1208
	8V	5046 5066	2120	907	646 636	873	1600	3273	1680	8817	1194/1320 <sup>*</sup> 1190/1450	880 1540
	12V	-	2497 <sup>*</sup>	-	-	775	1508	2008	1508	9571	DETAILS ON REQUEST	
	16V	-	2950	-	-	794	1638	2008	1508	8843	DETAILS ON REQUEST	
	18V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	20V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	24V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	28V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	32V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	36V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	40V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	
	44V	-	-	-	-	-	1600	2087	1678	9571	DETAILS ON REQUEST	

<sup>\*</sup> Reduced height is available where full output is not required.

PowerGen Limited  
PowerGen (UK) Ltd  
Cotton Road  
Gillingham  
Kent ME16 9JH  
Tel: 01843 820000  
Fax: 01843 820000

PowerGen (USA)  
PowerGen (USA)  
Cotton Road  
Gillingham  
Kent ME16 9JH  
Tel: 01843 820000  
Fax: 01843 820000



A Management Company of  
GEC ALSTHOM Diesel Limited



Information in this publication must not be taken as constituting an offer.